

**Remodeling**  
**Cost *vs* Value**  
**Report 2009-10**

[www.costvsvalue.com](http://www.costvsvalue.com)

hanley wood

PROJECT TYPE	MADISON			EAST NORTH CENTRAL			2009 NATIONAL AVERAGES		
	Job Cost	Resale Value	Cost Recouped	Job Cost	Resale Value	Cost Recouped	Job Cost	Resale Value	Cost Recouped
<b>MIDRANGE</b>									
Attic Bedroom Remodel	\$51,588	\$36,052	69.9%	\$52,289	\$38,390	73.4%	\$49,346	\$40,992	83.1%
Backup Power Generator	14,584	4,518	31.0%	15,120	7,448	49.3%	14,304	8,428	58.9%
Basement Remodel	64,552	36,734	56.9%	65,063	39,026	60.0%	62,067	46,825	75.4%
Bathroom Addition	40,766	19,859	48.7%	41,195	20,672	50.2%	39,046	23,233	59.5%
Bathroom Remodel	16,741	10,357	61.9%	16,740	10,141	60.6%	16,142	11,454	71.0%
Deck Addition (wood)	10,370	7,000	67.5%	10,675	7,669	71.8%	10,634	8,573	80.6%
Deck Addition (composite)	15,363	9,058	59.0%	15,619	9,686	62.0%	15,373	10,904	70.9%
Entry Door Replacement (steel)	1,205	1,246	103.4%	1,228	1,106	90.1%	1,172	1,470	128.9%
Entry Door Replacement (fiberglass)	3,549	2,160	60.9%	3,593	1,932	53.8%	3,490	2,275	65.2%
Family Room Addition	86,657	46,222	53.3%	87,558	49,045	56.0%	82,756	54,051	65.3%
Garage Addition	61,664	32,444	52.6%	61,696	31,212	50.6%	58,432	36,361	62.2%
Home Office Remodel	28,605	13,096	45.8%	29,224	12,209	41.8%	28,375	13,648	48.1%
Major Kitchen Remodel	57,993	36,423	62.8%	58,829	36,533	62.1%	57,215	41,260	72.1%
Master Suite Addition	107,782	62,677	58.2%	109,483	61,846	56.5%	103,696	67,578	65.2%
Minor Kitchen Remodel	21,751	14,942	68.7%	21,899	15,194	69.4%	21,411	16,773	78.3%
Roofing Replacement	20,827	12,935	62.1%	21,317	11,720	55.0%	19,731	13,133	66.6%
Siding Replacement (vinyl)	10,832	7,990	73.8%	10,879	7,992	73.5%	10,607	8,476	79.9%
Sunroom Addition	74,848	33,962	45.4%	75,525	32,785	43.4%	73,167	37,118	50.7%
Two-Story Addition	163,996	90,923	55.4%	163,286	93,548	57.3%	156,309	107,286	68.6%
Window Replacement (vinyl)	10,865	7,668	70.6%	11,242	7,734	68.8%	10,728	8,217	76.6%
Window Replacement (wood)	11,882	12,265	103.2%	12,268	8,788	71.6%	11,700	9,044	77.3%
<b>UPSCALE</b>									
Bathroom Addition	\$78,481	\$35,893	45.7%	\$79,224	\$39,377	49.7%	\$75,812	\$43,888	57.9%
Bathroom Remodel	54,104	28,556	52.8%	54,143	28,618	52.9%	52,295	32,196	61.6%
Deck Addition (composite)	37,742	18,030	47.8%	38,280	19,959	52.1%	37,745	22,934	60.8%
Garage Addition	91,066	41,889	46.0%	91,579	41,822	45.7%	87,230	48,762	55.9%
Grand Entrance	7,628	5,163	67.7%	7,747	4,612	59.5%	7,464	5,135	68.8%
Major Kitchen Remodel	113,109	59,192	52.3%	113,903	62,947	55.3%	111,794	70,641	63.2%
Master Suite Addition	233,320	107,038	45.9%	234,715	110,271	47.0%	225,995	125,793	55.7%
Roofing Replacement	40,031	22,417	56.0%	40,632	20,738	51.0%	37,359	22,610	60.5%
Siding Replacement (fiber-cement)	13,340	10,359	77.7%	13,459	10,093	75.0%	13,287	11,112	83.6%
Siding Replacement (foam-backed vinyl)	13,307	9,372	70.4%	13,276	9,445	71.1%	13,022	10,285	79.0%
Window Replacement (vinyl)	14,115	10,381	73.5%	14,535	10,185	70.1%	13,862	10,601	76.5%
Window Replacement (wood)	17,983	11,679	64.9%	18,470	11,739	63.6%	17,816	12,738	71.5%

CONFIDENCE LEVEL: East North Central: 95% +/- 3.9

CONFIDENCE LEVEL: National: 95% +/- 1.5

# Project Descriptions

## Midrange

### ATTIC BEDROOM REMODEL

Convert unfinished attic space to a 15-by-15-foot bedroom and a 5-by-7-foot bathroom with shower. Include a 15-foot shed dormer, four new windows, and closet space under the eaves. Insulate and finish ceiling and walls. Carpet floor. Extend existing HVAC to new space; provide electrical wiring and lighting to code. Retain existing stairs, but add rail and baluster around stairwell.

### BACKUP POWER GENERATOR

Install Guardian or similar electrical backup system with capacity for providing 70 amps of emergency power in two 240-volt circuits and six 120-volt circuits. Assume existing LP gas supply. Include generator mounted on 2-by-4-four-foot concrete or composite pad, automatic transfer switch, load center, exterior disconnect, and grounding rod. Include 30 feet of conduit and electrical cable for generator connections; grounded cable for circuits; 5 feet of flexible fuel line for connection to existing rigid gas supply line; and automotive-type storage battery.

### BASEMENT REMODEL

Finish the lower level of a house to create a 20-by-30-foot entertaining area with wet bar and a 5-by-8-foot full bathroom; construct 24 linear feet of finished partition to enclose mechanical area. Walls and ceilings are painted drywall throughout; exterior walls are insulated; painted trim throughout. Include five six-panel factory-painted hardboard doors with passage locksets. Electrical wiring to code.

*Main room:* Include 15 recessed ceiling light fixtures and three surface-mounted light fixtures, and a snap-together laminate flooring system.

*Bathroom:* Include standard white toilet, vanity with cultured marble top, resilient vinyl flooring, two-piece fiberglass shower unit, a light/fan combination, vanity light fixture, recessed medicine cabinet, towel and

paper-holder hardware.

*Bar area:* Include 10 linear feet of raised-panel oak cabinets with laminate countertops, stainless steel bar sink, single-lever bar faucet, undercounter refrigerator, and vinyl floor tile.

### BATHROOM ADDITION

Add a full 6-by-8-foot bathroom over a crawlspace with poured concrete walls. Include cultured-marble vanity top with molded sink; standard chrome faucets; 30-by-60-inch white fiberglass tub/shower with ceramic tile surround; single-lever temperature and pressure-balanced faucet; white low-profile toilet; general and spot lighting; electrical wiring to code; mirrored medicine cabinet; linen storage closet or cabinet; vinyl wallpaper; painted trim; and ceramic tile floor.

### BATHROOM REMODEL

Update an existing 5-by-7-foot bathroom. Replace all fixtures to include 30-by-60-inch porcelain-on-steel tub with 4-by-4-inch ceramic tile surround; new single-lever temperature and pressure-balanced shower control; standard white toilet; solid-surface vanity counter with integral sink; recessed medicine cabinet with light; ceramic tile floor; vinyl wallpaper.

### DECK ADDITION (WOOD)

Add a 16-by-20-foot deck using pressure-treated joists supported by 4x4 posts anchored to concrete piers. Install pressure-treated deck boards in a simple linear pattern. Include a built-in bench and planter of the same decking material. Include stairs, assuming three steps to grade. Provide a complete railing system using pressure-treated wood posts, railings, and balusters.

### DECK ADDITION (COMPOSITE)

Add a 16-by-20-foot deck using pressure-treated joists supported by 4x4 posts anchored to concrete piers. Install composite deck material in a simple linear pattern. Include a built-in bench and planter of the same decking

material. Include stairs, assuming three steps to grade. Provide a complete railing using a matching system made of the same composite as the decking material.

### ENTRY DOOR REPLACEMENT (STEEL)

Remove existing 3-0/6-8 entry door and jambs and replace with new 20-gauge steel unit, including clear dual-pane half-glass panel, jambs, and aluminum threshold with composite stop. Door is factory finished with same color both sides. Exterior brick-mold and 2.5-inch interior colonial or ranch casings in poplar or equal prefinished to match door color. Replace existing lockset with new bored-lock in brass or antique-brass finish.

### ENTRY DOOR REPLACEMENT (FIBERGLASS)

Remove existing 3-0/6-8 entry door and jambs and replace with new fiberglass unit with simulated wood grain, stained same color both sides; dual-pane, decorative half-glass panel with zinc coming; PVC-wrapped exterior trim in color to match existing trim; 2.5-inch interior colonial or ranch casings in hardwood stained to match door. Replace existing lockset with mortise lock with lever handle and integrated deadbolt in oil-rubbed bronze or satin-nickel finish.

### FAMILY ROOM ADDITION

In a style appropriate to the existing house, add a 16-by-25-foot room on a crawlspace foundation with vinyl siding and fiberglass shingle roof. Include drywall interior with fiberglass insulation, pre-finished hardwood floor, and 180 square feet of glazing including windows, atrium-style exterior doors, and two operable skylights. Tie into existing HVAC. Add electrical system to code, including 12 recessed ceiling lights.

### GARAGE ADDITION

Construct a 26-by-26-foot freestanding two-car garage, including footings and slab-on-grade foundation, 2x4 wood frame with

## Project Descriptions continued

caddy, body-spray fixtures, and frameless glass enclosure. Include a customized whirlpool tub; stone countertop with two sinks; two mirrored medicine cabinets with lighting; a compartmentalized commode area with one-piece toilet; and a humidistat-controlled exhaust fan. Use all color fixtures. Use larger matching ceramic tiles on the floor, laid on the diagonal with ceramic tile base molding. Add general and spot lighting including waterproof shower fixture. Cabinetry shall include a custom drawer base and wall cabinets for a built-in look. Extend HVAC system, and include electric in-floor heating and heated towel bars.

### DECK ADDITION (COMPOSITE)

Add a 16-by-20-foot deck using pressure-treated joists supported by 4x4 posts anchored to concrete piers. At one corner, add a second, 10-foot-diameter six-sided platform one step down from the main deck. Include stairs on the smaller deck, assuming three steps to grade. Install composite deck material in a simple linear pattern. Trim the perimeter joists and wrap the 4x4 posts with composite materials to match the decking. Using the same decking material, include a built-in bench and planter along one 16-foot side. On the remaining perimeter, provide a railing system using composite material of contrasting or complementary colors that includes decorative balusters, post caps, and lighting. Railing and trim should provide for overall curb appeal to the outdoor living space by integrating the deck with the home's color and architecture, creating a custom look.

### GARAGE ADDITION

For the same midrange two-car garage, add interior wall finish using moisture-resistant drywall on ceiling and three walls. At rear wall, install modular storage systems including wall panels, upper and lower storage cabinets with work surfaces, and required task lighting. Trim all windows and doors and provide base molding at perimeter; paint all trim, ceiling, and walls. Finish cement floor with color, slip-resistant epoxy sealer.

### GRAND ENTRANCE (FIBERGLASS)

Remove existing 3-0/6-8 entry door and cut

and reframe opening for a 12-36-12 entrance door with dual sidelites. Move double-gang electrical box with two switches. Fiberglass door blank matches upscale entry, including color, threshold, lockset, and decorative half-glass; sidelites match door. PVC-wrapped exterior trim in color to match existing trim; wider interior colonial or ranch casings (3.5-inch to cover new jack studs) in hardwood stained to match door. All work to be completed in one day.

### MAJOR KITCHEN REMODEL

Update outmoded 200-square-foot kitchen with 30 linear feet of top-of-the-line custom cherry cabinets with built-in sliding shelves and other interior accessories. Include stone countertops with imported ceramic- or glass-tile backsplash; built-in refrigerator, cooktop, and 36-inch commercial grade range and vent hood; built-in warming drawer, trash compactor, and built-in combination microwave and convection oven. Install high-end undermount sink with designer faucets and built-in water filtration system. Add new general and task lighting including low-voltage undercabinet lights. Install cork flooring, cherry trim.

### MASTER SUITE ADDITION

Add a 32-by-20-foot master bedroom suite over a crawlspace.

*Bedroom:* Add a spacious sleeping area with lounging/sitting area adjacent to large master bathroom. Include custom bookcases and built-in storage with millwork details; high-end gas fireplace with stone hearth and custom mantle; and large walk-in closet/dressing area with natural light, mirrors, and linen storage. Add French doors to exterior.

*Bathroom:* Include a large walk-in shower with dual-shower system, stone shower walls and floor, and custom frameless glass enclosure. Add corner-design whirlpool tub bordered on two sides by windows and built into granite or marble platform with custom cabinet front. Include two sinks in separate custom vanities with stone countertops and large mirrors. Create partitioned area for luxury one-piece toilet.

*General:* Add 5-foot-long hospitality center with bar sink, undercounter refrigerator,

custom cabinetry, granite or marble countertop, and microwave. Include soundproofing, in-floor heating, custom wall finishes and hardware, general and spot lighting, and lighting controls.

### ROOFING REPLACEMENT

Remove existing roofing to bare wood sheathing and dispose of properly. Install 30 squares of standing-seam metal, formed on site into 16-inch panels using factory-enameled roll steel; double-lock all seams. Use custom brake-bent flashing from same material for drip edge and all flashing at roof-wall intersections. Assume a 5-square hip roof; custom flashing at two average-sized skylights; and custom cap treatment at vented ridge. Apply over new felt underlayment; use ice-and-water membrane at eaves, valleys, and all penetrations.

### SIDING REPLACEMENT (FIBER-CEMENT)

Replace 1,250 square feet of existing siding with new fiber-cement siding, factory primed and factory painted. Include all 4/4 and 5/4 trim using either fiber-cement boards or cellular PVC.

### SIDING REPLACEMENT (FOAM-BACKED VINYL)

Replace 1,250 square feet of existing siding with new foam-backed vinyl siding, including factory trim at all openings and corners.

### WINDOW REPLACEMENT (VINYL)

Replace 10 existing 3-by-5-foot double-hung windows with insulated, low-E, simulated-divided-lite vinyl windows. Simulated wood-grain interior finish; custom-color exterior finish. Trim exterior to match existing; do not disturb existing interior trim.

### WINDOW REPLACEMENT (WOOD)

Replace 10 existing 3-by-5-foot double-hung windows with insulated, low-E, simulated-divided-lite wood windows. Interior finish of stained hardwood; exterior finish of custom-color aluminum cladding. Trim exterior to match existing; do not disturb existing interior trim.

## Project Descriptions continued

OSB structural sheathing, and gable truss roof at 6/12 pitch. Install 25-year asphalt shingle roofing with galvanized metal flashing; vinyl siding and trim. Install five double-hung 30-by-48-inch vinyl windows; one 3-0/6-8 exterior door with half-glass and lockset; and two composite 9-by-8-foot overhead doors with motorized openers. Include 100-amp breaker at main house panel and 50 linear feet of trench buried conduit to feed new electrical subpanel. Provide electrical wiring for openers; three-way switching for fluorescent ceiling fixtures over each bay; three-way switching for two exterior spotlights; outlets to code. Interior wall, floors, and ceilings remain unfinished.

### HOME OFFICE REMODEL

Convert an existing 12-by-12-foot room to a home office. Install custom cabinets to include 20 linear feet of laminate desktop, computer workstation, and wall cabinet storage. Rewire room for computer, fax machine, and other electronic equipment, as well as cable and telephone lines. Include drywall interior, painted trim, and commercial-grade carpeting.

### MAJOR KITCHEN REMODEL

Update an outmoded 200-square-foot kitchen with a functional layout of 30 linear feet of semi-custom wood cabinets, including a 3-by-5-foot island; laminate countertops; and standard double-tub stainless-steel sink with standard single-lever faucet. Include energy-efficient wall oven, cooktop, ventilation system, built-in microwave, dishwasher, garbage disposal, and custom lighting. Add new resilient flooring. Finish with painted walls, trim, and ceiling.

### MASTER SUITE ADDITION

Add a 24-by-16-foot master bedroom suite over a crawlspace. Include walk-in closet/dressing area, whirlpool tub in ceramic tile platform, separate 3-by-4-foot ceramic tile shower, and double-bowl vanity with solid-surface countertop. Bedroom floor is carpet; bathroom floor is ceramic tile. Painted walls, ceiling, and trim. General and spot lighting, exhaust fan; electrical wiring to code.

### MINOR KITCHEN REMODEL

In a functional but dated 200-square-foot kitchen with 30 linear feet of cabinetry and countertops, leave cabinet boxes in place but replace fronts with new raised-panel wood doors and drawers, including new hardware. Replace wall oven and cooktop with new energy-efficient models. Replace laminate countertops; install midpriced sink and faucet. Repaint trim, add wall covering, and remove and replace resilient flooring.

### ROOFING REPLACEMENT

Remove existing roofing to bare wood sheathing and dispose of properly. Install 30 squares of 235-pound fiberglass asphalt shingles (min. 25-year warranty) with new felt underlayment, galvanized drip edge, and mill-finish aluminum flashing. Assume a 5-square hip roof; custom flashing at two average-size skylights; and custom cap treatment at vented ridge.

### SIDING REPLACEMENT

Replace 1,250 square feet of existing siding with new vinyl siding, including all trim.

### SUNROOM ADDITION

Construct a 200-square-foot sunroom addition, including footings and slab-on-grade foundation. Post-and-beam framing exposed on interior side. Wall glazing: vinyl or aluminum clad awning and casement windows with low-E, laminated or tempered glazing and screens. Roof glazing: 10 large aluminum-clad venting skylights with screens. Provide ceiling fan; insulate all non-glass areas; provide movable shades for glass area. Quarry tile or equal on floor.

### TWO-STORY ADDITION

Add a first-floor family room and a second-floor bedroom with full bathroom in a 24-by-16-foot two-story wing over a crawlspace. Add new HVAC system to handle addition; electrical wiring to code.

*Family room:* Include a prefabricated gas fireplace; 11 3-by-5-foot double-hung insulated clad-wood windows; an atrium-style exterior door; carpeted floors; painted drywall on walls and ceiling; and painted trim.

*Bathroom:* 5 by 8 feet. Include a one-piece fiberglass tub/shower unit; standard white

toilet; wood vanity with solid-surface countertop; resilient vinyl flooring; and mirrored medicine cabinet with built-in light strip; papered walls; and painted trim; exhaust fan. Bedroom: Include walk-in closet/dressing area; carpet; painted walls, ceiling, and trim; general and spot lighting.

### WINDOW REPLACEMENT (VINYL)

Replace 10 existing 3-by-5-foot double-hung windows with insulated vinyl replacement windows. Wrap existing exterior trim as required to match. Do not disturb existing interior trim.

### WINDOW REPLACEMENT (WOOD)

Replace 10 existing 3-by-5-foot double-hung windows with insulated wood replacement windows, exterior clad in vinyl or aluminum. Wrap existing exterior trim as required to match. Do not disturb existing interior trim.

## Upscale

### BATHROOM ADDITION

Add a new 100-square-foot master bathroom to existing master bedroom over a crawlspace. Include 42-by-42-inch neo-angle shower with ceramic tile walls with accent strip, recessed shower caddy, body-spray fixtures, and frameless glass enclosure. Include a customized whirlpool tub; stone countertop with two sinks; two mirrored medicine cabinets with lighting; a compartmentalized commode area with one-piece toilet; and a humidistat-controlled exhaust fan. Use all color fixtures. Use larger matching ceramic tiles on the floor, laid on the diagonal with ceramic tile base molding. Add general and spot lighting including waterproof shower fixture. Cabinetry shall include a custom drawer base and wall cabinets for a built-in look. Extend HVAC system, and include electric in-floor heating and heated towel bars.

### BATHROOM REMODEL

Expand an existing 35-square-foot bathroom to 100 square feet within existing house footprint. Relocate all fixtures. Include 42-by-42-inch neo-angle shower with ceramic tile walls with accent strip, recessed shower

# User Guidelines

The Cost vs. Value Report (“The Report”) contains copyrighted material that is being made available in free, downloadable PDF documents as a public service. While Hanley Wood, LLC retains all rights to The Report, you may use this information for personal or business purposes, subject to the following:

## PROHIBITED USES

1. **RESALE.** Under no circumstances may The Report, whether in whole or part, be reproduced and sold in any format, including print, digital, electronic file, fax, or other medium.
2. **PUBLICATION OF DATA.** No data from The Report may be published as a PDF. City data from The Report may not be distributed or published in any format, including print, digital, electronic file, fax, or other medium. Other data may be published under certain conditions (see Permitted Uses below).
3. **APPLICATIONS/SOFTWARE.** None of the national, regional, or city data, whether in whole or part, may be incorporated by you or any third party for use in any kind of computer- or Web-based application, calculator, database, or other automated, electronic, or digital device, instrument, or software except as licensed by Hanley Wood (see Permitted Uses below).

## PERMITTED USES

1. You do not need prior approval from Hanley Wood to display, distribute, or print the national or regional summary data, provided that it is not published as a PDF, and that you acknowledge the source per the Citation Guidelines below.
2. Any of the narrative accompanying the tables that appear at [www.costvsvalue.com](http://www.costvsvalue.com) or in the November 2009 issue of REMODELING magazine may be excerpted following fair-use convention and subject to the Citation Guidelines below.
3. For permission to use the data in a software or Web-based application or calculator, or to excerpt extensively from or reprint the November 2009 REMODELING magazine article, send an e-mail to [costvsvaluepermissions@hanleywood.com](mailto:costvsvaluepermissions@hanleywood.com) that includes the following:
  - a description of the media in which the excerpt will appear (book, magazine, online story, etc.), or the application or calculator in which the data will be used. If the excerpt will appear online, include the length of time the material will be published.
  - a description of the material to be excerpted (specific projects, cities, etc.) or the actual excerpt or data.

## CITATION GUIDELINES

You must acknowledge any information excerpted from The Report as follows:

“© 2009 Hanley Wood, LLC. Reproduced by permission. Complete city data from the Remodeling 2009–10 Cost vs. Value Report can be downloaded free at [www.costvsvalue.com](http://www.costvsvalue.com).”

# Cost <sup>VS</sup> Value

## Report

The 2009-10 REMODELING Cost vs. Value Report has been brought to you thanks to the following companies.



Offer Your Customers  
the #1 Return on  
Remodeling Investment

When you install James Hardie® siding, trim, soffit and fascia with ColorPlus® Technology, you're delivering what homeowners want - a low maintenance home without sacrificing beauty, charm or character. Available in a wide range of colors, James Hardie® siding is Engineered for Climate™ and comes with a 30-year nonprorated limited product warranty. For more information on becoming a James Hardie Preferred Remodeler please call (877) 336-2339 or email us at [RepairAndRemodel@JamesHardie.com](mailto:RepairAndRemodel@JamesHardie.com).



# BIG QUANTITIES = BIG SAVINGS

with the Lumber Liquidators WHOLESale TEAM!

## The BEST selection of:

- ✓ Exotic & Domestic Solid
- ✓ Engineered
- ✓ Handscraped
- ✓ Bamboo
- ✓ Laminate
- ✓ Cork
- ✓ Resilient Flooring

HARDWOOD FLOORS FOR LESS!

# LUMBER LIQUIDATORS\$

[www.lumberliquidators.com](http://www.lumberliquidators.com)

## 1-800-HARDWOOD

## WHOLESALE DIVISION

## 1-800-476-0007



## TAKE YOUR BEST SHOT

Our new oil-free finish nailers are engineered to help you achieve the level of craftsmanship you were always capable of. They offer precision-driven features such as dry-fire lockout, dial-a-depth technology, swivel fittings, patented profile tips ... even an integrated pencil sharpener.

For nearly 40 years, **Stanley-Bostitch** has designed its products to be the most reliable & durable pneumatic tools available. Maybe that's why more finish carpenters and serious woodworkers rely on **Stanley-Bostitch** products more than any other major brand.\*




**FN1664K**  
16 Gauge Finish Nailer



**BT1855K**  
18 Gauge Brad Nailer



**SX1838K**  
18 Gauge Finish Stapler



\*Based on third-party survey in U.S. and Canada asking for the brands of finish products used in the previous 12 months.

© 2009 The Stanley Works

[www.bostitch.com](http://www.bostitch.com)

STANLEY

# BOSTITCH

Therma-Tru®  
Fiberglass Doors



Classic-Craft Door Style: CC114 with CC2080SL sidelites and BEGHRT transom - Bella Glass

# Always Make A **GREAT** ENTRANCE

## Therma-Tru® Fiberglass Doors


- AccuGrain™ technology - patented approach to real wood grain appearance with all the advantages of Therma-Tru fiberglass
- Won't crack, split or rot like wood; or dent, chip or rust like steel
- Solid polyurethane foam core with five times the insulating value of wood
- Engineered for years of trouble-free performance
- Offers a range of styles, sizes, glass designs, sidelites and transoms



**THERMA-TRU®**  
DOORS

## Give your clients something unexpected.

Zephyr range hoods are designed with today's homeowner in mind. Color options. Wood trims. Glass or stainless steel surfaces. With so many options you're sure to meet even the most unexpected request. Contact Zephyr to find out more about today's most exciting line of kitchen ventilation - 888.880.8368 (p) [contact@zephyronline.com](mailto:contact@zephyronline.com) (e)



**ZEPHYR**

[zephyronline.com](http://zephyronline.com) | 800.888.VENT

Look for us on [TODL.com](http://TODL.com)